



检测报告

报告编号：潍科检 202203291

项目名称： 废水

委托单位： 山东同成医药股份有限公司

报告日期： 二〇二二年三月三十日




山东潍科检测服务有限公司



3.25
硫化物

检测 报 告

样品类别	废水	检测类别	送样
委托单位	山东同成医药股份有限公司		
联系人	崔延超	联系电话	15153694205
受检单位	山东同成医药股份有限公司		
受检单位地址	寿光市侯镇海洋化工园区金源路 9 号		
采（送）样人员	崔延超		
检测仪器	仪器编号	仪器名称	仪器型号
	WKJC-06	双光束紫外可见分光光度计	UV-9000S
检测结果	不做评价，检测数据详见本报告检测结果表。		
备注	本报告仅对本次检测负责。送样仅对来样负责。		

服
测
1044

签发日期 2022.03.30

检测报告

废水检测结果表

采（送）样时间	采（送）样点位	检测项目	检测结果
2022.03.25	废水总排口	样品编码	L-20220325006
		样品性状	淡黄色透明液体
		硫化物(mg/L)	ND
备注	ND 表示未检出。		
本文以下空白			

附表

检测方法一览表

样品类别	检测项目	分析方法依据	检出限
废水	硫化物	水质硫化物的测定 亚甲基蓝分光光度法 HJ 1226-2021	0.01 mg/L
本文以下空白			

*****报告结束*****



声明

DECLARATION

1、报告无检验检测专用章和 CMA 章无效。

A report is invalid without stamping of the Special Chop of the inspection and testing and CMA section.

2、报告无编制、审核、授权人签字无效。

A report is invalid without signatures of the inspector, checker and approver.

3、报告涂改无效。

A report is invalid if altered.

4、报告不得部分复制，复制报告未重新加盖专用章或公章无效。

A reproduced report must be stamped with the Special Chop of Test Report or the official seal of the inspection agency, otherwise it is invalid.

5、对检验报告若有异议，应于收到报告之日起十五日内向检验单位提出，逾期不予受理。

Any disputes to test report should be claimed in written form to the test agency within 15 days from the day the report is received. Overdue claim would not be accepted.

6、委托人送检样品时，我对样品所检项目的符合性情况负责，送检样品的代表性和真实性由委托人负责。

In the case of inspection, we are responsible for the compliance of test items of samples, and client is responsible for the representativeness and authenticity of them.

7、本报告不得作广告宣传用。

This test report should not be used to propagandize.



检测机构：山东潍科检测服务有限公司

联系地址：寿光市文圣街南兴安路西潍坊科技学院蓝工院研发中心（262700）

联系电话：0536-5107638

传真（FAX）：0536-5107638

