



171512341058

正本



检测报告

报告编号：潍科检 202212192

样品类别： 有组织废气、无组织废气

委托单位： 山东同成医药股份有限公司

受检单位： 山东同成医药股份有限公司

报告日期： 2023 年 01 月 10 日



山东潍科检测服务有限公司



检验检测专用章

370783104869

检测报告

报告编号：潍科检 202212192

样品类别	有组织废气、无组织废气	检测类别	委托检测
委托单位	山东同成医药股份有限公司		
联系人	崔延超	联系电话	15153694205
受检单位	山东同成医药股份有限公司		
受检单位地址	寿光市侯镇海洋化工园区金源路9号		
采(送)样人员	姚星宇、单豪		
检测日期	2022.12.30-2023.01.01		
检测仪器	仪器编号	仪器名称	仪器型号
	WKJC-06	双光束紫外可见分光光度计	UV-9000S
	WKJC-132	十万分之一电子天平	EX125DZH
	WKJC-141	大气采样器	KB-6E
	WKJC-142	大气采样器	KB-6E
	WKJC-180	智能烟尘分析仪	EM-3088
	WKJC-55	智能双路烟气采样器	3072
	WKJC-68	大气采样器	KB-6E
	WKJC-69	大气采样器	KB-6E
检测结果	不做评价，检测数据详见本报告检测结果表。		
备注	本报告仅对本次检测负责。送样仅对来样负责。		

编制：王立青
审核：张萌萌
签发：张萌萌
检验检测专用章
044869

签发日期 2023.01.10

检测报告

报告编号：潍科检 202212192

气象参数统计表

采样时间	气温(°C)	气压(kPa)	风速(m/s)	风向
09:00	-5.1	103.6	1.1	南
11:00	2.2	103.4	1.0	
13:00	4.9	103.3	1.1	
15:00	5.1	103.3	0.9	
备注	无			
本文以下空白				

检测报告

报告编号：潍科检 202212192

有组织废气检测结果表

采(送)样时间	采(送)样点位	检测项目		检测结果			
				第一次	第二次	第三次	
2022.12.30	废气排放口 DA003	低浓度 颗粒物	样品编码	G-2022 1230001-1	G-2022 1230001-2	G-2022 1230001-3	
			样品性状	滤膜	滤膜	滤膜	
			实测浓度(mg/m ³)	3.6	3.9	3.3	
			实测浓度均值 (mg/m ³)	3.6			
			烟气流量(m ³ /h)	4019			
			排放速率(kg/h)	0.014			
		硫化氢	样品编码	G-2022 1230002-1	G-2022 1230002-2	G-2022 1230002-3	
			样品性状	吸收液	吸收液	吸收液	
			实测浓度(mg/m ³)	0.146	0.134	0.117	
			实测浓度最大值 (mg/m ³)	0.146			
			烟气流量(m ³ /h)	4154			
			排放速率(kg/h)	0.000606			
		备注	无				
		本文以下空白					

检测报告

报告编号：潍科检 202212192

附表

检测方法一览表

样品类别	检测项目	分析方法依据	检出限
有组织废气	低浓度颗粒物	固定污染源废气 低浓度颗粒物的测定 重量法 HJ 836-2017	1.0mg/m ³
	硫化氢	《空气和废气监测分析方法》第五篇 第四章 十（三）亚甲基蓝分光光度法国家环境保护总局 2003 年（第四版增补版）	0.001 mg/m ³
无组织废气	硫化氢	《空气和废气监测分析方法》第三篇 第一章 十一（二）亚甲基蓝分光光度法国家环境保护总局 2003 年（第四版增补版）	0.001 mg/m ³
本文以下空白			

*****报告结束*****

声明

DECLARATION

1、报告无检验检测专用章和 CMA 章无效。

A report is invalid without stamping of the Special Chop of the inspection and testing and CMA section.

2、报告无编制、审核、授权人签字无效。

A report is invalid without signatures of the inspector, checker and approver.

3、报告涂改无效。

A report is invalid if altered.

4、报告不得部分复制，复制报告未重新加盖专用章或公章无效。

A reproduced report must be stamped with the Special Chop of Test Report or the official seal of the inspection agency, otherwise it is invalid.

5、对检验报告若有异议，应于收到报告之日起十五日内向检验单位提出，逾期不予受理。

Any disputes to test report should be claimed in written form to the test agency within 15 days from the day the report is received. Overdue claim would not be accepted.

6、委托人送检样品时，我公司对样品所检项目的符合性情况负责，送检样品的代表性和真实性由委托人负责。

In the case of inspection, we are responsible for the compliance of test items of samples, and client is responsible for the representativeness and authenticity of them.

7、本报告不得作广告宣传用。

This test report should not be used to propagandize.



检测机构：山东潍科检测服务有限公司

联系地址：寿光市文圣街南兴安路西潍坊科技学院蓝工院研发中心（262700）

联系电话：0536-5107638

传真（FAX）：0536-5107638